



Send To: 4U210



Facility: 4U211



Result PASS

Report Date 23-NOV-2016

Customer Name [REDACTED]
Tested To NSF/ANSI 58 2015
Description [REDACTED] 300G
Trade Designation [REDACTED] 300G
Test Type Qualification
Job Number J-00227025
Project Number W0293819
Project Manager Mandy Chai

Thank you for having your product tested by NSF International.

Please contact your Project Manager if you have any questions or concerns pertaining to this report.

Report Authorization

Amanda Phelka - Director, Toxicology Services

Date 23-NOV-2016



General Information

Standard: NSF/ANSI 58 2015
 DCC Number: PW04657
 Flushing Time: 48hrs
 Physical Description of Sample: Component
 Test Description: Material Safety - w/out media - [REDACTED] 300G - QQ
 Trade Designation/Model Number: [REDACTED] 300G
 Unit Volume: 2 Liters

Sample Id: **S-0001304719**
 Description: [REDACTED] 300G
 Sampled Date: 10/17/2016
 Received Date: 10/17/2016

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab				
* Static Extraction Test Data Sheet				
Number of units exposed without media	1			
All connections supplied by mfr.	No			
Flushing procedure description	48 Hours			

Sample Id: **S-0001304720**
 Description: Final Composite Sample w/o Media
 Sampled Date: 11/05/2016
 Received Date: 10/17/2016

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab				
Dichlorobenzenediamine isomers, derivatization GC/ECD				
Total Dichlorobenzenediamine	ND(1)	ND(1)	ND(1)	ug/L
2,4-Dichlorobenzoic acid				
2,4-Dichlorobenzoic acid	ND(4)	ND(4)	ND(4)	ug/L
Methyl Butenol Isomers by GC-FID				
2-Methyl-3-Buten-2-ol	ND(4)	ND(4)	ND(4)	ug/L
3-Methyl-3-Buten-1-ol	ND(4)	ND(4)	ND(4)	ug/L
3-Methyl-2-Buten-1-ol	ND(4)	ND(4)	ND(4)	ug/L
* Triethylene diamine by LCMS				
Triethylene diamine	ND(50)	ND(50)	ND(50)	ug/L
* Acrylonitrile, Acetates and Acrylates by VOC GCMS				
Acrylonitrile	ND(0.2)	ND(0.2)	ND(0.2)	ug/L
E hyl acetate	ND(1)	ND(1)	ND(1)	ug/L
Methyl acrylate	ND(1)	ND(1)	ND(1)	ug/L
E hyl acrylate	ND(1)	ND(1)	ND(1)	ug/L
tert-Butyl Acetate	ND(1)	ND(1)	ND(1)	ug/L
Methyl me hacrylate	ND(1)	ND(1)	ND(1)	ug/L
Isobutyl acetate	ND(1)	ND(1)	ND(1)	ug/L
n-Butyl acetate	ND(1)	ND(1)	ND(1)	ug/L
Butyl acrylate	ND(1)	ND(1)	ND(1)	ug/L
Butyl methacrylate	ND(1)	ND(1)	ND(1)	ug/L
Methyl Acetate	ND(1)	ND(1)	ND(1)	ug/L



Sample Id: S-0001304720

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab (Continued)				
* 1-Propanol GC/FID				
1-Propanol	ND(200)	ND(200)	ND(200)	ug/L
* Organic Target Compounds in Water by LCMS				
Diphenyl sulfone	ND(10)	ND(10)	ND(10)	ug/L
Methyl-2-pyrrolidinone, N-	ND(10)	ND(10)	ND(10)	ug/L
Dimethylformamide	ND(10)	ND(10)	ND(10)	ug/L
N,N-Dimethylacetamide	ND(10)	ND(10)	ND(10)	ug/L
Diphenylamine	ND(20)	ND(20)	ND(20)	ug/L
Phenylene diamine, m-	ND(50)	ND(50)	ND(50)	ug/L
Phenylene diamine, p-	ND(50)	ND(50)	ND(50)	ug/L
Diethylene triamine	ND(50)	ND(50)	ND(50)	ug/L
E hylene Diamine	ND(100)	ND(100)	ND(100)	ug/L
* Nitrosamine Analysis by GC/MS using EPA Method 521 Modified				
N-Nitrosodi-n-butylamine	ND(0.001)	ND(0.001)	ND(0.001)	ug/L
N-Nitrosodi-n-propylamine	ND(0.001)	ND(0.001)	ND(0.001)	ug/L
N-Nitrosodiethylamine	ND(0.001)	ND(0.001)	ND(0.001)	ug/L
N-Nitrosodimethylamine	0.003	0.0098	ND(0.001)	ug/L
N-Nitrosomethylamine	ND(0.001)	ND(0.001)	ND(0.001)	ug/L
N-Nitrosomorpholine	ND(0.001)	ND(0.001)	ND(0.001)	ug/L
N-Nitrosopiperidine	ND(0.001)	ND(0.001)	ND(0.001)	ug/L
N-Nitrosopyrrolidine	ND(0.01)	ND(0.014)	ND(0.01)	ug/L
* Bisphenol AF, LC/UV				
Bisphenol AF	ND(20)	ND(20)	ND(20)	ug/L
*c-1,2,3,6-tetrahydrophthalimide (Captan degradant)				
C-1,2,3,6-Tetrahydrophthalimide	ND(2)	ND(2)	ND(2)	ug/L
Polynuclear Aromatic Hydrocarbons by GCMS - (DWTU)				
Acenaphthene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Acenaphthylene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Anthracene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Benzo(a)Anthracene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Benzo(a)Pyrene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Benzo(b)Fluoranthene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Benzo(g,h,i)Perylene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Benzo(k)Fluoranthene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Chrysene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Dibenzo(a,h)Anthracene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Fluoranthene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Fluorene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Indeno(1,2,3-c,d)Pyrene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Naphthalene	ND(0.1)	0.2	ND(0.1)	ug/L
Phenanthrene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Pyrene	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
BASE/NEUTRAL/ACID EPA METHOD 625 Scan for Tentatively Identified Compounds				
Caprolactam	30	Complete	30	ug/L
Hexadecanoic acid	3	Complete	3	ug/L



Sample Id: S-0001304720

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab (Continued)				
Scan Control Complete	TRUE			
Semivolatile Compounds, Base/Neutral/Acid Target 625, Data Workup - (DWTU)				
N-Nitrosodimethylamine	ND(2)	ND(2)	ND(2)	ug/L
N-Nitrosomethylamine	ND(2)	ND(2)	ND(2)	ug/L
5-Methyl-2-hexanone (MIAK)	ND(2)	ND(2)	ND(2)	ug/L
1-Methoxy-2-propanol acetate	ND(2)	ND(2)	ND(2)	ug/L
2-Heptanone	ND(2)	ND(2)	ND(2)	ug/L
Cyclohexanone	ND(2)	ND(2)	ND(2)	ug/L
N-Nitrosodiethylamine	ND(2)	ND(2)	ND(2)	ug/L
Isobutylisobutyrate	ND(2)	ND(2)	ND(2)	ug/L
Aniline	ND(2)	ND(2)	ND(2)	ug/L
Phenol	ND(2)	ND(2)	ND(2)	ug/L
bis(2-Chloroethyl) ether	ND(2)	ND(2)	ND(2)	ug/L
2-Chlorophenol	ND(2)	ND(2)	ND(2)	ug/L
2,3-Benzofuran	ND(2)	ND(2)	ND(2)	ug/L
1,3-Dichlorobenzene	ND(2)	ND(2)	ND(2)	ug/L
1,4-Dichlorobenzene	ND(2)	ND(2)	ND(2)	ug/L
3-Cyclohexene-1-carbonitrile	ND(2)	ND(2)	ND(2)	ug/L
2-Ethyl-1-hexanol	ND(2)	ND(2)	ND(2)	ug/L
Benzenemethanol (Benzylalcohol)	ND(2)	ND(2)	ND(2)	ug/L
1,2-Dichlorobenzene	ND(2)	ND(2)	ND(2)	ug/L
bis(2-Chloroisopropyl) ether	ND(2)	ND(2)	ND(2)	ug/L
2-Methylphenol (o-Cresol)	ND(1)	ND(1)	ND(1)	ug/L
N-Methyl-aniline	ND(2)	ND(2)	ND(2)	ug/L
1-Phenylethanone (Acetophenone)	ND(2)	ND(2)	ND(2)	ug/L
N-Nitrosodimethylpropylamine	ND(2)	ND(2)	ND(2)	ug/L
N-Nitrosopyrrolidine	ND(2)	ND(2)	ND(2)	ug/L
3- and 4-Methylphenol (m&p-Cresol)	ND(1)	ND(1)	ND(1)	ug/L
Hexachloroethane	ND(2)	ND(2)	ND(2)	ug/L
2-Phenyl-2-propanol	ND(2)	ND(2)	ND(2)	ug/L
N-Nitrosomorpholine	ND(2)	ND(2)	ND(2)	ug/L
Nitrobenzene	ND(2)	ND(2)	ND(2)	ug/L
2,6-Dimethylphenol	ND(2)	ND(2)	ND(2)	ug/L
N-Vinylpyrrolidinone	ND(2)	ND(2)	ND(2)	ug/L
N-Nitrosopiperidine	ND(2)	ND(2)	ND(2)	ug/L
Triethylphosphate	ND(2)	ND(2)	ND(2)	ug/L
Isophorone	ND(2)	ND(2)	ND(2)	ug/L
2-Nitrophenol	ND(1)	ND(1)	ND(1)	ug/L
2,4-Dimethylphenol	ND(2)	ND(2)	ND(2)	ug/L
bis(2-Chloroethoxy)methane	ND(2)	ND(2)	ND(2)	ug/L
2,4-Dichlorophenol	ND(1)	ND(1)	ND(1)	ug/L
1,2,4-Trichlorobenzene	ND(2)	ND(2)	ND(2)	ug/L
Naphthalene	ND(2)	ND(2)	ND(2)	ug/L
4-Chloroaniline	ND(2)	ND(2)	ND(2)	ug/L



Sample Id: S-0001304720

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab (Continued)				
1,1,3,3,-Tetramethyl-2- hiourea	ND(4)	ND(4)	ND(4)	ug/L
Hexachlorobutadiene	ND(2)	ND(2)	ND(2)	ug/L
Benzothiazole	ND(2)	ND(2)	ND(2)	ug/L
N-Nitrosodi-n-butylamine	ND(2)	ND(2)	ND(2)	ug/L
4-Chloro-3-methylphenol	ND(2)	ND(2)	ND(2)	ug/L
p-tert-Butylphenol	ND(2)	ND(2)	ND(2)	ug/L
2-Ethylhexyl glycidyl ether	ND(2)	ND(2)	ND(2)	ug/L
2,6-Di-t-butyl-4-me hylphenol(BHT)	ND(2)	ND(2)	ND(2)	ug/L
2-Methylnaphthalene	ND(2)	ND(2)	ND(2)	ug/L
Cyclododecane	ND(2)	ND(2)	ND(2)	ug/L
2,4,5-Trichlorophenol	ND(2)	ND(2)	ND(2)	ug/L
2,4,6-Trichlorophenol	ND(1)	ND(1)	ND(1)	ug/L
1(3H)-Isobenzofuranone	ND(2)	ND(2)	ND(2)	ug/L
2-Chloronaphthalene	ND(2)	ND(2)	ND(2)	ug/L
2-Nitroaniline	ND(2)	ND(2)	ND(2)	ug/L
1,1'-(1,3-Phenylene)bis ethanone	ND(2)	ND(2)	ND(2)	ug/L
2,6-Di-tert-butylphenol	ND(2)	ND(2)	ND(2)	ug/L
Dimethylphthalate	ND(1)	ND(1)	ND(1)	ug/L
1,1'-(1,4-Phenylene)bis ethanone	ND(2)	ND(2)	ND(2)	ug/L
Acenaph hylene	ND(2)	ND(2)	ND(2)	ug/L
aaa'a Tetramethyl-1,3-benzenedime hanol	ND(2)	ND(2)	ND(2)	ug/L
2,6-Dinitrotoluene	ND(2)	ND(2)	ND(2)	ug/L
2,4-Dinitrotoluene	ND(2)	ND(2)	ND(2)	ug/L
aaa'a Tetramethyl-1,4-benzenedime hanol	ND(2)	ND(2)	ND(2)	ug/L
2,4-Di-tert-butylphenol	ND(2)	ND(2)	ND(2)	ug/L
Dimethyl terephthalate	ND(2)	ND(2)	ND(2)	ug/L
Acenaph hene	ND(2)	ND(2)	ND(2)	ug/L
Dibenzofuran	ND(2)	ND(2)	ND(2)	ug/L
E hyl-4-ethoxybenzoate	ND(2)	ND(2)	ND(2)	ug/L
4-Nitrophenol	ND(2)	ND(2)	ND(2)	ug/L
Cyclododecanone	ND(2)	ND(2)	ND(2)	ug/L
Diethylphthalate	ND(2)	ND(2)	ND(2)	ug/L
p-tert-Octylphenol	ND(2)	ND(2)	ND(2)	ug/L
Fluorene	ND(2)	ND(2)	ND(2)	ug/L
4-Chlorophenylphenylether	ND(2)	ND(2)	ND(2)	ug/L
3-Nitroaniline	ND(2)	ND(2)	ND(2)	ug/L
4-Nitroaniline	ND(2)	ND(2)	ND(2)	ug/L
N-Nitrosodiphenylamine	ND(2)	ND(2)	ND(2)	ug/L
Azobenzene	ND(2)	ND(2)	ND(2)	ug/L
4-Bromophenylphenylether	ND(2)	ND(2)	ND(2)	ug/L
Hexachlorobenzene	ND(2)	ND(2)	ND(2)	ug/L
Pentachlorophenol	ND(2)	ND(2)	ND(2)	ug/L
Phenanthrene	ND(2)	ND(2)	ND(2)	ug/L
Anthracene	ND(2)	ND(2)	ND(2)	ug/L



Sample Id: S-0001304720

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab (Continued)				
Diisobutylphthalate	ND(2)	ND(2)	ND(2)	ug/L
Di-n-butylphthalate	ND(2)	ND(2)	ND(2)	ug/L
Phenyl sulfone	ND(2)	ND(2)	ND(2)	ug/L
Hydroxymethylphenylbenzotriazole	ND(2)	ND(2)	ND(2)	ug/L
Fluoran hene	ND(2)	ND(2)	ND(2)	ug/L
Pyrene	ND(2)	ND(2)	ND(2)	ug/L
Butylbenzylphthalate	ND(2)	ND(2)	ND(2)	ug/L
bis(2-E hylhexyl)adipate	ND(2)	ND(2)	ND(2)	ug/L
3,3-Dichlorobenzidine	ND(1)	ND(1)	ND(1)	ug/L
Benzo(a)an hracene	ND(2)	ND(2)	ND(2)	ug/L
bis(2-E hylhexyl)ph halate	ND(1)	ND(1)	ND(1)	ug/L
Chrysene	ND(2)	ND(2)	ND(2)	ug/L
Di-n-octylphthalate	ND(2)	ND(2)	ND(2)	ug/L
Benzo(b)fluoranthene	ND(2)	ND(2)	ND(2)	ug/L
Benzo(k)fluoran hene	ND(2)	ND(2)	ND(2)	ug/L
Benzo(a)pyrene	ND(2)	ND(2)	ND(2)	ug/L
Dibenzo(a,h)anthracene	ND(2)	ND(2)	ND(2)	ug/L
Indeno(1,2,3-cd)pyrene	ND(2)	ND(2)	ND(2)	ug/L
Benzo(g,h,i)perylene	ND(2)	ND(2)	ND(2)	ug/L
Dihexyl phthalate (DHP) by GC/MS BNA 625				
Dihexyl phthalate	ND(4)	ND(4)	ND(4)	ug/L
Diisodecyl ph halate (DIDP) by GC/MS BNA 625 SIM				
Diisodecyl ph halate	ND(4)	ND(4)	ND(4)	ug/L
Diisononyl ph halate (DINP) by GC/MS BNA 625 SIM				
Diisononyl ph halate	ND(4)	ND(4)	ND(4)	ug/L
Diisooctyl phthalate (DIOP) by GC/MS BNA 625 SIM				
Diisooctyl phthalate	ND(4)	ND(4)	ND(4)	ug/L
Aluminum in Drinking Water by ICPMS (Ref: EPA 200.8)				
Aluminum	ND(10)	ND(10)	ND(10)	ug/L
Total Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)				
Arsenic	ND(1)	ND(1)	ND(1)	ug/L
Barium in Drinking Water by ICPMS (Ref: EPA 200 8)				
Barium	ND(1)	3	ND(1)	ug/L
Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Beryllium	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Bismuth in Drinking Water by ICPMS (Ref: EPA 200.8)				
Bismuth	ND(1)	ND(1)	ND(1)	ug/L
Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Cadmium	ND(0.2)	ND(0.2)	ND(0.2)	ug/L
Cerium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Cerium	ND(1)	ND(1)	ND(1)	ug/L
Cobalt in Drinking Water by ICPMS (Ref: EPA 200.8)				
Cobalt	ND(1)	ND(1)	ND(1)	ug/L
Chromium in Drinking Water by ICPMS (Ref: EPA 200 8)				
Chromium	ND(1)	ND(1)	ND(1)	ug/L



Sample Id: S-0001304720

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab (Continued)				
Cesium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Cesium	ND(1)	ND(1)	ND(1)	ug/L
Copper in Drinking Water by ICPMS (Ref: EPA 200.8)				
Copper	1	2	ND(1)	ug/L
Dysprosium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Dysprosium	ND(1)	ND(1)	ND(1)	ug/L
Erbium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Erbium	ND(1)	ND(1)	ND(1)	ug/L
Europium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Europium	ND(1)	ND(1)	ND(1)	ug/L
Gallium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Gallium	ND(1)	ND(1)	ND(1)	ug/L
Gadolinium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Gadolinium	ND(1)	ND(1)	ND(1)	ug/L
Germanium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Germanium	ND(1)	ND(1)	ND(1)	ug/L
Hafnium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Hafnium	ND(1)	ND(1)	ND(1)	ug/L
Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)				
Mercury	ND(0.2)	ND(0.2)	ND(0.2)	ug/L
Holmium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Holmium	ND(1)	ND(1)	ND(1)	ug/L
Iridium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Iridium	ND(1)	ND(1)	ND(1)	ug/L
Lanthanum in Drinking Water by ICPMS (Ref: EPA 200.8)				
Lanthanum	ND(1)	ND(1)	ND(1)	ug/L
Lutetium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Lutetium	ND(1)	ND(1)	ND(1)	ug/L
Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)				
Manganese	1	ND(1)	1	ug/L
Molybdenum in Drinking Water by ICPMS (Ref: EPA 200.8)				
Molybdenum	ND(1)	ND(1)	ND(1)	ug/L
Date Analyzed	08-NOV-2016			
Niobium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Niobium	ND(1)	ND(1)	ND(1)	ug/L
Neodymium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Neodymium	ND(1)	ND(1)	ND(1)	ug/L
Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)				
Nickel	ND(1)	ND(1)	ND(1)	ug/L
Lead in Drinking Water by ICPMS (Ref: EPA 200.8)				
Lead	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Palladium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Palladium	ND(1)	ND(1)	ND(1)	ug/L
Praseodymium in Drinking Water by ICPMS (Ref: EPA 200.8)				



Sample Id: S-0001304720

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab (Continued)				
Praseodymium	ND(1)	ND(1)	ND(1)	ug/L
Platinum in Drinking Water by ICPMS (Ref: EPA 200.8)				
Platinum	ND(1)	ND(1)	ND(1)	ug/L
Rubidium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Rubidium	ND(1)	ND(1)	ND(1)	ug/L
Rhenium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Rhenium	ND(1)	ND(1)	ND(1)	ug/L
Rhodium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Rhodium	ND(1)	ND(1)	ND(1)	ug/L
Ruthenium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Ruthenium	ND(1)	ND(1)	ND(1)	ug/L
Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)				
Antimony	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Selenium	ND(2)	ND(2)	ND(2)	ug/L
Samarium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Samarium	ND(1)	ND(1)	ND(1)	ug/L
Tin in Drinking Water by ICPMS (Ref: EPA 200.8)				
Tin	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Strontium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Strontium	3	22	ND(1)	ug/L
Tantalum in Drinking Water by ICPMS (Ref: EPA 200.8)				
Tantalum	ND(1)	ND(1)	ND(1)	ug/L
Tellurium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Tellurium	ND(1)	ND(1)	ND(1)	ug/L
Titanium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Titanium	ND(2)	ND(2)	ND(2)	ug/L
Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Thallium	ND(0.2)	ND(0.2)	ND(0.2)	ug/L
Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Uranium	ND(1)	ND(1)	ND(1)	ug/L
Vanadium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Vanadium	ND(1)	ND(1)	ND(1)	ug/L
Tungsten in Drinking Water by ICPMS (Ref: EPA 200.8)				
Tungsten	ND(1)	ND(1)	ND(1)	ug/L
Ytterbium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Ytterbium	ND(1)	ND(1)	ND(1)	ug/L
Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)				
Zinc	ND(10)	ND(10)	ND(10)	ug/L
* Zirconium in Drinking Water by ICPMS (Ref: EPA 200.8)				
Zirconium	ND(1)	ND(1)	ND(1)	ug/L
* Sulfur, Sulfite, 428.B				
Sulfur, Sulfite	ND(2)	ND(2)	ND(2)	mg/L
* Formaldehyde (mg/L)				
Formaldehyde	ND(0.01)	ND(0.01)	ND(0.01)	mg/L
* 2-ethyl-1,3-hexanediol by LC-MS				



Sample Id: S-0001304720

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab (Continued)				
2-ethyl-1,3-hexanediol	29	ND(5)	29	ug/L
* 2-Methylpropene (Isobutylene) (Modified EPA 524.2)				
Isobutylene	ND(5)	ND(5)	ND(5)	ug/L
* Epichlorohydrin (Modified EPA 524.2)				
Epichlorohydrin	ND(5)	ND(5)	ND(5)	ug/L
* Acetone (Modified EPA 524 2)				
Acetone	ND(5)	ND(5)	ND(5)	ug/L
* 1,3-Butadiene (Modified EPA 524.2)				
1,3-Butadiene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
* Tetrahydrofuran (Modified EPA 524.2)				
Tetrahydrofuran	ND(5)	ND(5)	ND(5)	ug/L
* Cyclohexanone (Modified EPA 524.2)				
Cyclohexanone	ND(50)	ND(50)	ND(50)	ug/L
* Divinyl benzene (vinyl styrene) (Modified EPA 524 2)				
Divinylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
* 2-Chloro-1,3-butadiene (chloroprene) (Modified EPA 524.2)				
2-Chloro-1,3-butadiene chloroprene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
* 2-Methyl-1,3-butadiene (isoprene) (Modified EPA 524 2)				
2-Methyl-1,3-butadiene (isoprene)	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Di(n-propyl heptyl) phthalate (DHPH) by GC/MS BNA 625				
Di(n-propyl heptyl) phthalate	ND(4)	ND(4)	ND(4)	ug/L
* 1,3-Dichloro-2-propanol in water, GC/FID				
1,3-Dichloro-2-propanol	ND(20)	ND(20)	ND(20)	ug/L
* Acrylamide by derivitiza ion, GC/ECD				
Acrylamide	ND(0.1)	ND(0.1)	ND(0.1)	ug/L
Date Analyzed	09-NOV-2016			
* Benzyl alcohol				
Benzyl Alcohol	ND(50)	ND(50)	ND(50)	ug/L
Bisphenol A - propylene oxide adducts, LC/UV				
Bisphenol A diglycidery ether	ND(20)	ND(20)	ND(20)	ug/L
Bisphenol A propoxylate	ND(20)	ND(20)	ND(20)	ug/L
Bisphenol A diglycidyl ether	ND(20)	ND(20)	ND(20)	ug/L
Bisphenol A, LC/UV				
Bisphenol A	ND(10)	ND(10)	ND(10)	ug/L
* Butanediol, 1,4- by NSF Method				
Butanediol, 1,4	ND(100)	ND(100)	ND(100)	ug/L
* n-Butanol, GC/FID				
Butanol, n-	ND(50)	ND(50)	ND(50)	ug/L
* sec-Butyl alcohol, GC/FID				
sec-Butyl alcohol	ND(50)	ND(50)	ND(50)	ug/L
* 1,2-Dichloro-3-propanol in Water, GC/FID				
1,2-Dichloro-3-Propanol	ND(20)	ND(20)	ND(20)	ug/L
* 4,4'-Dichlorodiphenyl sulfone by LC/UV				
4,4'-Dichlorodiphenyl sulfone	ND(20)	ND(20)	ND(20)	ug/L
* Dioxane, 1,4-, P&T GC/MS				
1,4-Dioxane	ND(5)	ND(5)	ND(5)	ug/L



Sample Id: S-0001304720

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab (Continued)				
* Di-t-butyl-4-alkyl phenols, LC/UV				
2,6-Di-t-butyl-4-me hyl phenol	ND(20)	ND(20)	ND(20)	ug/L
2,6-Di-t-butyl-4-ethyl phenol	ND(20)	ND(20)	ND(20)	ug/L
* Ethylenethiourea (2-imidazolidinethione), LC/UV				
E hylene hiourea	ND(10)	ND(10)	ND(10)	ug/L
* Ethylhexyl acrylate, 2-, P&T GC/MS				
2-Ethylhexyl acrylate	ND(1)	ND(1)	ND(1)	ug/L
* 1,6-Hexanediol by LC/MS				
1,6-Hexanediol	ND(50)	ND(50)	ND(50)	ug/L
* Hydroquinone, LC/UV				
Hydroquinone	ND(10)	ND(10)	ND(10)	ug/L
* Isobutanol, GC/FID				
Isobutanol	ND(200)	ND(200)	ND(200)	ug/L
* Me hanol, GC/FID				
Methanol	ND(500)	ND(500)	ND(500)	ug/L
* Me hyl-2-propanol, 2-, (t-butylalcohol), GC/FID				
2-Methyl-2-propanol	ND(100)	ND(100)	ND(100)	ug/L
* Me hylenedianiline Micro/derivatization GC/ECD				
2,2'-Methylenedianiline	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
2,4'-Methylenedianiline	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
4,4'-Methylenedianiline	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
* N,N-Diethyl-p-toluidene, LC/UV				
N,N-Diethyl-p-toluidene	ND(20)	ND(20)	ND(20)	ug/L
* Propanol, 2-, GC/FID				
2-Propanol	ND(50)	ND(50)	ND(50)	ug/L
* Propylene glycol , LC/MS				
Glycol, Propylene	ND(200)	ND(200)	ND(200)	ug/L
* Tetramethyl Thiuram Monosulfide by HPLC-UV				
Tetramethyl Thiuram Monosulfide (TMTM)	ND(10)	ND(10)	ND(10)	ug/L
* Toluenediamine, 2,4-				
2,4-Toluenediamine	ND(2)	ND(2)	ND(2)	ug/L
* Toluenediamine, 2,6-				
2,6-Toluenediamine	ND(2)	ND(2)	ND(2)	ug/L
* Trimethylolpropane, LC/MS				
Trimethylolpropane	ND(20)	ND(20)	ND(20)	ug/L
* Vinyl acetate, P&T GC/MS				
Vinyl acetate	ND(1)	ND(1)	ND(1)	ug/L
* Chlorobenzenediamine isomers, derivatization GC/ECD				
4-chloro-1,2-phenylene diamine	ND(1)	ND(1)	ND(1)	ug/L
4-chloro-1,3-phenylene diamine	ND(1)	ND(1)	ND(1)	ug/L
2-chloro-1,4-phenylene diamine	ND(1)	ND(1)	ND(1)	ug/L
* Silver in Drinking Water by ICPMS				
Silver	ND(1)	ND(1)	ND(1)	ug/L
* Perfluorooctanoic acid by LCMS/ES-				
Perfluorooctanoic acid by LCMS/ES-	ND(1)	ND(1)	ND(1)	ug/L
Volatile Organic Compounds (Ref: EPA 524.2)				



Sample Id: S-0001304720

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab (Continued)				
Dichlorodifluorome hane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Chloromethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Vinyl Chloride	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Bromomethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Chloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Trichlorofluoromethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Trichlorotrifluoroethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Methylene Chloride	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,1-Dichloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
trans-1,2-Dichloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,1-Dichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
2,2-Dichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
cis-1,2-Dichloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Chloroform	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Bromochlorome hane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,1,1-Trichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,1-Dichloropropene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Carbon Tetrachloride	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,2-Dichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Trichloroe hylene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,2-Dichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Bromodichloromethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Dibromomethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
cis-1,3-Dichloropropene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
trans-1,3-Dichloropropene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,1,2-Trichloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,3-Dichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Tetrachloroethylene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Chlorodibromomethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Chlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,1,1,2-Tetrachloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Bromoform	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,1,2,2-Tetrachloroethane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,2,3-Trichloropropane	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,3-Dichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,4-Dichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,2-Dichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Carbon Disulfide	ND(1)	ND(1)	ND(1)	ug/L
Methyl-tert-Butyl Ether (MTBE)	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
tert-Butyl ethyl e her	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Methyl E hyl Ketone	ND(5)	ND(5)	ND(5)	ug/L
Methyl Isobutyl Ketone	ND(5)	ND(5)	ND(5)	ug/L
Toluene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
E hyl Benzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L



Sample Id: **S-0001304720**

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab (Continued)				
m-p-Xylenes	ND(1)	ND(1)	ND(1)	ug/L
o-Xylene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Styrene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Isopropylbenzene (Cumene)	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
n-Propylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Bromobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
2-Chlorotoluene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
4-Chlorotoluene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,3,5-Trimethylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
tert-Butylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,2,4-Trimethylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
sec-Butylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
p-Isopropyltoluene (Cymene)	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,2,3-Trimethylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
n-Butylbenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,2,4-Trichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Hexachlorobutadiene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
1,2,3-Trichlorobenzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Naphthalene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Benzene	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Total Trihalomethanes	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
Total Xylenes	ND(0.5)	ND(0.5)	ND(0.5)	ug/L
* Water pH				
pH	6.36	7.02		

Sample Id: **S-0001304721**
 Description: Water Characteristics #1
 Sampled Date: 10/17/2016
 Received Date: 10/17/2016

Testing Parameter	Sample	Control	Result	Units
Chemistry Lab				
* Chlorine, Free				
Chlorine, Free Available	ND(0.05)		ND(0.05)	mg/L
* Solids, Total Dissolved, (By Conductivity)				
Solids, Total Dissolved	47		47	mg/L
* Water pH				
pH	6.77			
* Temperature				
Temperature	23		23	degrees C

Job Attachments:



Test Configuration



Exploded View



Testing Laboratories:

All work performed at:	<div style="display: inline-block; border-bottom: 1px dashed black; width: 100px; margin-bottom: 2px;"></div> <div style="display: inline-block; border-bottom: 1px dashed black; width: 100px; margin-bottom: 2px;"></div>	<div style="display: inline-block; border-bottom: 1px dashed black; width: 100%; margin-bottom: 2px;"></div> <div style="display: inline-block; border-bottom: 1px dashed black; width: 100%; margin-bottom: 2px;"></div>
	→ NSF_AA	NSF International 789 N. Dixboro Road Ann Arbor MI 48105

References to Testing Procedures:

NSF Reference	Parameter / Test Description
C0011	* Static Extraction Test Data Sheet
C0019	* Chlorine, Free
C0237	Dichlorobenzendiamine isomers, derivatization GC/ECD
C0280	2,4-Dichlorobenzoic acid
C0340	Methyl Butenol Isomers by GC-FID
C0725	* Triethylene diamine by LCMS
C0743	* Acrylonitrile, Acetates and Acrylates by VOC GCMS
C0744	* 1-Propanol GC/FID
C0943	* Organic Target Compounds in Water by LCMS
C0989	* Nitrosamine Analysis by GC/MS using EPA Method 521 Modified
C1044	* Bisphenol AF, LC/UV
C1115	*c-1,2,3,6-tetrahydrophthalimide (Captan degradant)
C1918	Polynuclear Aromatic Hydrocarbons by GCMS - (DWTU)
C1926	BASE/NEUTRAL/ACID EPA METHOD 625 Scan for Tentatively Identified Compounds (TICs) - (DWTU)
C1927	Semivolatile Compounds, Base/Neutral/Acid Target 625, Data Workup - (DWTU)
C2002	Dihexyl phthalate (DHP) by GC/MS BNA 625
C2003	Diisodecyl phthalate (DIDP) by GC/MS BNA 625 SIM
C2004	Diisononyl phthalate (DINP) by GC/MS BNA 625 SIM
C2005	Diisooctyl phthalate (DIOP) by GC/MS BNA 625 SIM
C3032	Aluminum in Drinking Water by ICPMS (Ref: EPA 200.8)
C3035	Total Arsenic in Drinking Water by ICPMS (Ref: EPA 200.8)
C3038	Barium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3041	Beryllium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3043	Bismuth in Drinking Water by ICPMS (Ref: EPA 200.8)
C3046	Cadmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3049	Cerium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3050	Cobalt in Drinking Water by ICPMS (Ref: EPA 200.8)
C3052	Chromium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3056	Cesium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3058	Copper in Drinking Water by ICPMS (Ref: EPA 200.8)
C3061	Dysprosium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3062	Erbium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3063	Europium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3067	Gallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3068	Gadolinium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3069	Germanium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3070	Hafnium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3071	Mercury in Drinking Water by ICPMS (Ref: EPA 200.8)
C3076	Holmium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3077	Iridium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3082	Lanthanum in Drinking Water by ICPMS (Ref: EPA 200.8)
C3083	Lithium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3084	Lutetium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3087	Manganese in Drinking Water by ICPMS (Ref: EPA 200.8)
C3089	Molybdenum in Drinking Water by ICPMS (Ref: EPA 200.8)
C3092	Niobium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3093	Neodymium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3095	Nickel in Drinking Water by ICPMS (Ref: EPA 200.8)
C3100	Lead in Drinking Water by ICPMS (Ref: EPA 200.8)
C3105	Palladium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3106	Praseodymium in Drinking Water by ICPMS (Ref: EPA 200.8)



References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C3107	Platinum in Drinking Water by ICPMS (Ref: EPA 200.8)
C3108	Rubidium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3109	Rhenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3110	Rhodium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3111	Ruthenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3113	Antimony in Drinking Water by ICPMS (Ref: EPA 200.8)
C3115	Selenium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3120	Samarium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3121	Tin in Drinking Water by ICPMS (Ref: EPA 200.8)
C3122	Strontium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3123	Tantalum in Drinking Water by ICPMS (Ref: EPA 200.8)
C3124	Tellurium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3125	Titanium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3127	Thallium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3131	Uranium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3132	Vanadium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3133	Tungsten in Drinking Water by ICPMS (Ref: EPA 200.8)
C3134	Ytterbium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3135	Zinc in Drinking Water by ICPMS (Ref: EPA 200.8)
C3140	* Zirconium in Drinking Water by ICPMS (Ref: EPA 200.8)
C3147	* Solids, Total Dissolved, (By Conductivity)
C3173	* Sulfur, Sulfite, 428.B
C3213	* Formaldehyde (mg/L)
C3319	* 2-ethyl-1,3-hexanediol by LC-MS
C3362	* 2-Methylpropene (Isobutylene) (Modified EPA 524.2)
C3364	* Epichlorohydrin (Modified EPA 524.2)
C3366	* Acetone (Modified EPA 524.2)
C3369	* 1,3-Butadiene (Modified EPA 524.2)
C3371	* Tetrahydrofuran (Modified EPA 524.2)
C3372	* Cyclohexanone (Modified EPA 524.2)
C3378	* Divinyl benzene (vinyl styrene) (Modified EPA 524.2)
C3379	* 2-Chloro-1,3-butadiene (chloroprene) (Modified EPA 524.2)
C3380	* 2-Methyl-1,3-butadiene (isoprene) (Modified EPA 524.2)
C3390	Di(n-propyl heptyl) phthalate (DPHP) by GC/MS BNA 625
C4004	* 1,3-Dichloro-2-propanol in water, GC/FID
C4018	* Acrylamide by derivitization, GC/ECD
C4050	* Benzyl alcohol
C4056	Bisphenol A - propylene oxide adducts, LC/UV
C4057	Bisphenol A, LC/UV
C4064	* Butanediol, 1,4- by NSF Method
C4065	* n-Butanol, GC/FID
C4068	* sec-Butyl alcohol, GC/FID
C4114	* 1,2-Dichloro-3-propanol in Water, GC/FID
C4115	* 4,4'-Dichlorodiphenyl sulfone by LC/UV
C4137	* Dioxane, 1,4-, P&T GC/MS
C4146	* Di-t-butyl-4-alkyl phenols, LC/UV
C4170	* Ethylenethiourea (2-imidazolidinethione), LC/UV
C4172	* Ethylhexyl acrylate, 2-, P&T GC/MS
C4211	* 1,6-Hexanediol by LC/MS
C4215	* Hydroquinone, LC/UV
C4221	* Isobutanol, GC/FID
C4268	* Methanol, GC/FID
C4278	* Methyl-2-propanol, 2-, (t-butylalcohol), GC/FID
C4283	* Methylenedianiline Micro/derivatization GC/ECD
C4294	* N,N-Diethyl-p-toluidene, LC/UV
C4328	* Propanol, 2-, GC/FID
C4330	* Propylene glycol, LC/MS
C4360	* Tetramethyl Thiuram Monosulfide by HPLC-UV
C4366	* Toluenediamine, 2,4-
C4367	* Toluenediamine, 2,6-
C4388	* Trimethylolpropane, LC/MS
C4399	* Vinyl acetate, P&T GC/MS
C4515	* Chlorobenzenediamine isomers, derivatization GC/ECD



References to Testing Procedures: (Cont'd)

NSF Reference	Parameter / Test Description
C4641	* Silver in Drinking Water by ICPMS
C4656	* Perfluorooctanoic acid by LCMS/ES-
C4662	Volatile Organic Compounds (Ref: EPA 524.2)
C6408	* Water pH
C6413	* Temperature

Test descriptions preceded by an asterisk "*" indicate that testing has been performed per NSF International requirements but is not within its scope of accreditation.